

EAGLE ELECTRIC COMPANY

MEASURE THE WORLD



- ✓ **Manufacturer Of Weighing Scale Motherboards**
- ✓ **All Weighing Scale Spare Parts Under One Roof**
- ✓ **Seamless Warranty And Standardize Components PCB Manufacturer**

WHY CHOOSE US?



WEIGHBRIDGE INDICATORS

One Machine, accurate weighment, robust software and evergreen metallic design, this Weighing Indicator is the latest up-to-date electronic product. The Model EGL Indicator with FLAT BODY DESIGN is a high performance display indicator and high speed data transmitter suitable for static and dynamic weighing.

It is specially designed for process weighing systems, as well as all types of machinery with weighing as part of their function. Universal machine compatible with all loadcells without any hurdle, it is ideally suited to connection to PCs and remote systems.

With Opto Isolated RS232 Port for data interface, our indicators comes with bright 0.8"/1" size segment display in RED digits. This machine works separately with Analogue and digital loadcells.

The integrated check weigher application, coupled with the high speed data capture rate of 2400 measurements/second. **Two versions are available, ONE WITH FLAT BODY 0.8' DISPLAY AND OTHER WITH SLEEK ROUND BODY WITH 1' DISPLAY.** Upto 8 loadcells can be connected smoothly by this robust machine.



EGL-IND-01



EGL-IND-02

WEIGHBRIDGE INDICATOR

Brand: Eagle Bobby
Model No.: EGL IND-01 ---- FLAT ----- 0.8' RED DISPLAY
Model No.: EGL IND-02 ---- ROUND ----- 1' RED DISPLAY
Loadcell compatibility: Analogue or Digital

SPECIFICATIONS

Processor: ADS-ADC 7802 NUVOTON
Power Supply: On Board SMPS
Input Voltage: 140V to 280V AC @ 50 Hz
Display: 6 Digit Bright Red
RS232 Port: Isolated RS-232 serial port for continuous weight transfer
Loadcell Port: Female 15 Pin
Environment: Operating temperature: 0* to 55* Celsius
Humidity: up to 95% RH non-condensing



EGL IND-01



EGL IND-02



1 YEAR
WARRANTY



DATA TRANSFER
ON ANDROID APP



BLUETOOTH



RS232 PORT



MAKE IN INDIA

HARDWARE FEATURES

- Flat and round type of metallic anti-rust model available
- Opto Isolated RS232 Port for data transfer
- 15 pin female & male connector for loadcell connection
- 0.8" and 1" display model available
- 4 key keypad for operating indicator

APPLICATIONS

- PRIVATE WEIGHBRIDGES
- INDUSTRIAL WEIGHBRIDGES
- TOLL WAYS
- PUBLIC WEIGHBRIDGES

SALIENT FEATURES

- Ability to work with upto 8 loadcells (Analogue Or Digital)
- Working with Zemic/ Ningbo Kelli/ Kevinsensors etc. loadcells
- ESD Protected Indicator motherboard with One year Warranty
- Bluetooth data transfer (ADDITIONAL)
- Wireless connectivity with Android app for data management (View real time data) (ADDITIONAL)



1 YEAR WARRANTY



DATA TRANSFER
ON ANDROID APP



BLUETOOTH



RS232 PORT



MAKE IN INDIA

METALLIC PRINTER WEIGHBRIDGE INDICATOR



RS232 PORT



INSTANT WEIGHT TRANSFER ON PHONE



1 YEAR WARRANTY




DATA TRANSFER ON ANDROID APP



MAKE IN INDIA

PRTIND-01 INDICATOR

Brand: Eagle Bobby
Model No.: EGL PRT-IND-01
Loadcell Type: Analogue
Display: 0.8" Red Bright segment Display
Printer : Inbuilt thermal Printer



SALIENT FEATURES

- Ability to work with Upto 8 loadcells
- Working with Zemic/ Ningbo Kelli/ Kevinsensors etc. Analogue loadcells
- ESD Protected Indicator motherboard with One year Warranty
- Bluetooth data transfer (ADDITIONAL)
- Wireless connectivity with Android app for data management (View real time data) (ADDITIONAL)



1 YEAR
WARRANTY



DATA TRANSFER
ON ANDROID APP



BLUETOOTH
PRINTING



RS232 PORT



MAKE IN INDIA



THERMAL PRINTER

SPECIFICATION

Printer Type:	In-Built 2" Thermal Receipt Printer
Printing Life:	50000 Meters
Slip Prints:	Time+Date+Weight+Name+Address of party
Report:	6 Digit Bright Red
RTC For Date & Time:	In-built
Data Storage memory:	Latest 1000 weights
Batch Weighing:	Possible
Last 1000 weights:	Slip can Print latest 1000 weights on a click
Name (24 Character):	Editable on customer end
Address of Party (24 Char.)	Editable on customer end
Body type :	Mettalic powder coating
Display type:	0.8" Bright Red segment display
3 wire display:	Possible to use
Loadcell type:	Analogue

APPLICATIONS

- PRIVATE WEIGHBRIDGES
- INDUSTRIAL WEIGHBRIDGES
- TOLL WAYS
- PUBLIC WEIGHBRIDGES
- POS SYSTEM FOR FRUITS AND VEGETABLE



1 YEAR
WARRANTY



DATA TRANSFER
ON ANDROID APP



BLUETOOTH
PRINTING



RS232 PORT




MAKE IN INDIA




THERMAL PRINTER

SAMPLE TICKET 1

SAMPLE TICKET 2



24 CHAR.
FIRM NAME
24 CHAR.
FIRM ADDRESS
DATE & TIME
SERIAL NO.



FULL REPORT ON A CLICK

- LATEST **1000** S.NO. CAN BE RECALLED
- FUNCTION TO WIPE UP ALL S.NO.
- USED IN BATCH WEIGHING
- EASY TO USE



1 YEAR WARRANTY



DATA TRANSFER ON ANDROID APP



BLUETOOTH PRINTING



RS232 PORT



MAKE IN INDIA



THERMAL PRINTER

COMBI INTELLIGENT TERMINAL



BOTH ANALOGUE/DIGITAL AVAILABLE

CFG-01



BOTH ANALOGUE/DIGITAL AVAILABLE

CFR-02



BOTH ANALOGUE/DIGITAL AVAILABLE

CFR-03 (ROUND BODY)



BOTH ANALOGUE/DIGITAL AVAILABLE

CFR-04 (STAND BODY)

Hardware Specifications:

Model No.-	CFG-A/CFG-D	Warranty:	1 Year
Real Time Clock:	On LCD Display	Country of Origin:	India
Power Supply:	220V AC	Brand Name:	Bobby 7777
Display compatible:	16X2 LCD	Keyboard:	PS2
Communication:	Serial with RS232	Printer:	DOT Matrix
Memory:	5000	Controller:	Nuvoton
Auto Zero tracking:	Yes	Extra serial display:	3 Wire Sizes 1"/2"/4"

Software Details:


Operating Method	Operator Prompting & Menu Based User Friendly operating
Number of Records (Storage)	5000 Completed/Incomplete Transactions. (In Standard Configuration)
Type of Reports	Date-wise/Truck-Wise Complete/In-complete Weighment.
Format of Report	Serial No./Key No., Truck No., Gross Weight, Tare Weight, Net Weight and Material Etc.
Weighment Slip Details	Weighment Slip Contains Serial No., Key No., Truck No., Material/Party Name, Date, Time, Gross/Tare/Net Weight Etc. # Mino Customization can be undertaken
Re-Print Facility	Duplicate Slip can be printed
Manual Tare Entry	Available



25 PIN CONN.
FOR DOT MATRIX PRINTER



9 PIN CONN.
FOR SERIAL OUTPUT



15 PIN CONN.
FOR LOADCELL



PS2 CONN.
FOR KEYBOARD



COMBI FLAT GREEN
ANALOGUE/DIGITAL

EXTRA FEATURES



- Memory To 16000
- SMS Facility
- Thermal Printer On Combi
- Data On Pendrive
- USB Conn. For Printer
- Full Report Generation Facility



Hardware Specifications:


Model No.-	CFR-A/CFR-D	Warranty:	1 Year
Real Time Clock:	On LCD Display	Country of Origin:	India
Power Supply:	220V AC	Brand Name:	Bobby 7777
Display compatible:	16X2 LCD	Keyboard:	PS2
Communication:	Serial with RS232	Printer Supported:	DOT Matrix
Memory:	5000	Controller:	Nuvoton
Auto Zero tracking:	Yes	Extra serial display:	3 Wire Sizes 1"/2"/4"

Software Details:


Operating Method	Operator Prompting & Menu Based User Friendly operating
Number of Records (Storage)	5000 Completed/Incomplete Transactions. (In Standard Configuration)
Type of Reports	Date-wise/Truck-Wise Complete/In-complete Weighment.
Format of Report	Serial No./Key No., Truck No., Gross Weight, Tare Weight, Net Weight and Material Etc.
Weighment Slip Details	Weighment Slip Contains Serial No., Key No., Truck No., Material/Party Name, Date, Time, Gross/Tare/Net Weight Etc. # Mino Customization can be undertaken
Re-Print Facility	Duplicate Slip can be printed
Manual Tare Entry	Available



25 PIN CONN.
FOR DOT MATRIX PRINTER



9 PIN CONN.
FOR SERIAL OUTPUT



15 PIN CONN.
FOR LOADCELL



PS2 CONN.
FOR KEYBOARD



COMBI FLAT RED ANALOGUE/DIGITAL

EXTRA FEATURES

- Memory To 16000
- SMS Facility
- Thermal Printer On Combi
- Data On Pendrive
- USB Conn. For Printer
- Full Report Generation Facility



Hardware Specifications:

Model No.-	CFR-A/CFR-D (ROUND)	Warranty:	1 Year
Real Time Clock:	On LCD Display	Country of Origin:	India
Power Supply:	220V AC	Brand Name:	Bobby 7777
Display compatible:	16X2 LCD	Keyboard:	PS2
Communication:	Serial with RS232	Printer Supported:	DOT Matrix
Memory:	5000	Controller:	Nuvoton
Auto Zero tracking:	Yes	Extra serial display:	3 Wire Sizes 1"/2"/4"

Software Details:


Operating Method	Operator Prompting & Menu Based User Friendly operating
Number of Records (Storage)	5000 Completed/Incomplete Transactions. (In Standard Configuration)
Type of Reports	Date-wise/Truck-Wise Complete/In-complete Weighment.
Format of Report	Serial No./Key No., Truck No., Gross Weight, Tare Weight, Net Weight and Material Etc.
Weighment Slip Details	Weighment Slip Contains Serial No., Key No., Truck No., Material/Party Name, Date, Time, Gross/Tare/Net Weight Etc. # Mino Customization can be undertaken
Re-Print Facility	Duplicate Slip can be printed
Manual Tare Entry	Available



25 PIN CONN.
FOR DOT MATRIX PRINTER




9 PIN CONN.
FOR SERIAL OUTPUT



15 PIN CONN.
FOR LOADCELL



PS2 CONN.
FOR KEYBOARD



COMBI ROUND RED ANALOGUE/DIGITAL

EXTRA FEATURES

- Memory To 16000
- SMS Facility
- Thermal Printer On Combi
- Data On Pendrive
- USB Conn. For Printer
- Full Report Generation Facility



Hardware Specifications:

Model No.-	CFR-A/CFR-D (STAND)	Warranty:	1 Year
Real Time Clock:	On LCD Display	Country of Origin:	India
Power Supply:	220V AC	Brand Name:	Bobby 7777
Display :	16X2 LCD	Keyboard:	USB PORT
Communication:	Serial with RS232	Printer Supported:	DOT Matrix
Memory:	16000	Controller:	Nuvoton
Data Transfer Via:	Pen Drive	Auto Zero tracking:	Yes
SMS FEATURE:	Yes	Computer Interface:	Yes
Segment Size:	1" with Red Color	Extra serial display:	3 Wire Sizes 1"/2"/4"

Software Details:

Number of Records (Storage)	16000 Completed/Incomplete Transactions. (In Standard Configuration)
Type of Reports	Vehicle master, Material, Party Name, Coding 150 each, full report + Pending report, Date-wise report
Format of Report	Serial No./Key No., Truck No., Gross Weight, Tare Weight, Net Weight and Material Etc.
Weighment Slip Details	Weighment Slip Contains Serial No., Key No., Truck No., Material/Party Name, Date, Time, Gross/Tare/Net Weight
Re-Print Facility	Duplicate Slip can be printed
Manual Tare Entry	Available




**COMBI STAND RED
ANALOGUE/DIGITAL**



25 PIN CONN.
FOR DOT MATRIX PRINTER



9 PIN CONN.
FOR SERIAL OUTPUT



15 PIN CONN.
FOR LOADCELL



USB CONN.
FOR KEYBOARD/PRINTER




SMS FACILITY



USB DATA TRANSFER

JUNCTION BOX



Model Number:	JB-Metal
Type of Junction box:	JB-4 LOACELL----JB-6 LOADCELL- ---JB-8 LOADCELL
Body Make:	Metal body Powder Coated with Rustproof finish
Compatible:	All weighbridges loadcell and Intelligent Terminal

Model Number:	JB-ABS
Type of Junction box:	JB-4 LOACELL----JB-6 LOADCELL- ---JB-8 LOADCELL
Body Make:	Black Color, Heavy ABS Body
Compatible:	All weighbridges loadcell and Intelligent Terminal

Model Number:	JB-STEEL
Type of Junction box:	JB-4 LOACELL----JB-6 LOADCELL- ---JB-8 LOADCELL
Body Make:	Stainless Steel body
Compatible:	All weighbridges loadcell and Intelligent Terminal

EXTRA DISPLAY



EGL ED 01

1" High Quality Red Segment,
3 Wire & RF Communication Available



EGL ED 02

2" High Quality Red Segment,
3 Wire & **WiFi** Communication Available



EGL ED 03

4" High Quality Red Segment,
3 Wire & **WiFi** Communication Available



Contact Us

Address : Eagle Electric Company, 13/23, Street Number 9, Railway Road,
Samaypur Badli, Delhi, Pincode- 110042

Call Us : +91-9310212550/51

Email : info@eagleweigh.com, eagleweighing@gmail.com